



ORIGINAL (STRUCTURAL ANGLE) WIRE MESH PARTITION

cogan.com

EXAMPLE:

Typical 3'W x 8'H single swing gate shown here. Panel configuration and quantity will vary based on gate dimensions.

Assembly instructions are specific to the the size and material of your gate. See Installation Manual for complete details.



SINGLE SWING GATE


Description

Door stoppers All single swing gates are equipped with a padlock hasp, hinges and door stoppers. Gates can be hinged in for different orientations (opening inwards or ouwards / swing left or right). Additional lock options are also available. Doors are made of 2" x 2" x 10 GA welded wire mesh framed in 1 1/4" x 1 1/4" x 12GA structural angle with two welded 1/2" ø reinforcement rods from center to the corner.

PRODUCT INFORMATION

Standard, Oversized Type #1 and Oversized Type #2 are assembled at Cogan. Oversized Type XXL is assembled by the installer in place (Refer to the installation manual for reference). See size tab for more information.

SPECIFICATIONS	
Door Heights	6' to 15'
Type of Door	Single Swing Gate
Door Stop	Can be hinged on the left or right, depending if the door is set to open in or out.
Finish	Powder-coated
Mesh Size	2" x 2" x 10GA
Materials Mesh	Steel Wire
Frame Material	Structural Angle 1 1/4" x 1 1/4" x 12GA
Type of Closure	Padlock Hasp (Optional locks available)
Stiffening profile	1/2" Ø Reinforcement rod
COLORS POWDER COATED	










ORIGINAL (STRUCTURAL ANGLE) WIRE MESH PARTITION

cogan.com

SIZES

Please consult the table below for a complete list of dimensions.







ORIGINAL (STRUCTURAL ANGLE) **WIRE MESH PARTITION**

cogan.com

LOCK OPTIONS

Below are the standard cylinder lock options for our partition security gates. Choose between a latch and key, or keys on both sides for added security.

